

New Product Bulletin

Europe, Middle East Parts

January 2018

Part Number	Application	cross-ref	Dimensions	Description
AF25180	Scania Truck 4-Series (<2004)	Scania 1372151, 1377099, 1730757, DT 1.10797, Fram CA9419, Hengst E1006L, Jura Filtration SA16668, Mann-Hummel C301359, Donaldson P787610	L: 442 mm OD: 321 mm ID: 179,7 mm	Primary Air Filter (cylindrical) fitted with Secondary Air Filter AF25118
AF25118	Scania Truck 4-Series (<2004)	Scania 1872153, 1377201, Jura Filtration SA16669, Fram CA9419SY, Donaldson P786362, Bosch 986B03410, M+H (Brazil) CF1710, DT 110920, Sakura A83040	Length: 421 mm OD: 173 mm ID: 132 mm	Secondary Air Filter (cylindrical) fitted with Primary Air Filter AF25180
AF25181	Scania Truck 4-Series, G-P-R-Series	Scania 1423414, 1377098, 1872152, Jura Filtration SA16670, Donaldson P787609, Fram CA9418, Hengst E806L, M-H (Brazil) C301622	L: 533 mm OD: 310 mm ID: 179,7 mm	Primary Air Filter (cylindrical) fitted with Secondary Air Filter AF4172

www.commercialfiltersuk.com

Part Number

Application

cross-ref.

Dimensions

Description

AF4172

Scania Trucks 4-Series,
P & R-SeriesScania 1872154, 1377200,
Bosch 0986B03401,
Donaldson P786360,
DT 1.10798,
FRAM CA9418SY,
M+H Brazil CF1711Length: 501 mm
OD: 173 mm
ID: 132 mmSecondary Air Filter
fitted with
Primary Air Filter
AF25181

AF56001

Claas Tractors
Arion & Axion-SeriesClaas 21639960,
Jura Filtration SC50308CAH: 20 mm
L: 225 mm
W: 204 mmCabin Air Filter,
activated carbon

AF56005

Claas Tractors
Arion & Axion-SeriesClaas 11257444,
Jura Filtration SC50253H: 59 mm
L: 760 mm
W: 130 mm

Cabin Air Filter

FF5858

New Holland T9-Models;
Iveco Stralis/EcoStralis/Stralis
Hi-Road/Hi-Street/Hi-Way;
Stralis II/Stralis XP;Stralis X-Way;
TrakkerCNH 84572242,
5801439821, M+PU10013Z,
Iveco 5801516883,
Jura Filtration SN80057,
Sofima S6044NE,
UFI 2604400,
Wix WF10314H: 202 mm
OD: 109 mm
ID: 18,5 mmFuel Filter,
cartridgewww.commercialfiltersuk.com

Part Number	Application	cross-ref.	Dimensions	Descrip-
-------------	-------------	------------	------------	----------

FF5862	Evobus Sprinter Mobility/City/Transfer/Travel; Mercedes Benz Sprinter II, Viano & Vito II; VDL MidCity/MidEuro equipped with Mercedes Benz Engines OM651LA & OM642LA	Mercedes (A)6510902952, (A)6510901552, M+H WK820/18 (replaces WK820/8), Jura Filtration SN70396, Mahle KL912, Bosch F026402840, Gud MP42, Purflux FCS798, Wix WF8471, Hengst H413WK, Coopers Fiaam FP6059, DT 4.68751, Filtron PP840/8, Fram P11196	H: 100 mm OD: 87 mm Outlet connection 1: 10 Outlet connection: 8	Fuel Filter, in-line
--------	---	--	---	-------------------------

FF5857	Claas Tractors Axion-Serie; Iveco Trucks: Stralis/Eco, Stralis Hi-Road/Hi-Street/Hi-Way, Stralis II/Stralis XP, Trakker; Iveco Bus Crossway/Cross- way LE, Evadys II, Magelys/Magelys Pro, Urbanway; New Holland T8 & T9-Models; VDL Bus & Coach Citea-Models	CNH 5801439820 & 504350911, M+H RU10020X, VDL 30126457, Baldwin PF46003, Jura Filtration SN80050, UFI 2604300, Sofima S6043NE	H: 162 mm OD: 109 mm ID: 18,5 mm	Fuel Filter, cartridge
--------	---	---	--	------------------------

LF17547	Iveco Trucks Stralis/Eco, Stralis Hi-Road/ Hi-Street/Hi-Way, Stralis II/Stralis XP, Trakker; Iveco Bus Crossway/Crossway LE, Evadys II, Magelys/Magelys Pro, Urbanway; New Holland Tractor T9-Models; VDL Bus & Coach Citea-Models	Iveco 5801415504, Mann-Hummel HU12008X, Jura Filtration SO8045, Hengst E213HD300, New Holland 84572228, Sofima S5102PE, UFI 2510200, Clean ML4546, Bosch F026407217, VDL 30126484	H: 235 mm OD: 122,6 mm	Lube Filter, cartridge
---------	--	--	---------------------------	------------------------

Part Number

Application

cross-ref.

Dimensions

Description

LF17576

Nissan Interstar & Primastar,
Opel Movano A & Vivaro A,
Renault Master II & Master III/Master Maxi,
Trafic II/Trafic Generation,
Suzuki Grand Vitara

M-H W79,
General Motors
93198441, 93181255,
Mercedes (A)2811800310,
Nissan 15208-00QA-
F/15208-AW300/15208-
00Q0G/15208-00Q0D,
Opel 4434962, 4415442,
Renault 8200274858/82008
67980/8200768927/8671002
274/8671017369,
Suzuki
16510-84A10(000)/16510-
67JG0(000)/16510-
84A12(000)/16510-
84A11(000)

H: 65,5 mm
OD: 79 mm
Gasket OD: 71,5 mm
Gasket ID: 62,5 mm
Thread: M20x1.5-6H

Lube Filter,
spin-on, full-flow

www.commercialfiltersuk.com

Parts from other regions

Part Number Application cross-ref. Dimensions Description

FF5871

Ford Transit Vehicles

Ford CC1Z9354A, 1837319,
Baldwin PF46004,
M-H PU12003Z,
Mahle KX387D,
Jura Filtration SN70384,
UFI 2607400,
Wix WF10208,
Racor DRK00372

Length: 134,1 mm
OD: 93,7 mm,
Flange 124,6 mm
ID: 7,9 & 39,7

Fuel Filter,
cartridge

FF5877

Isuzu Engine 4HK1-TC (5.2L) Diesel
& Isuzu Trucks N Series (2011-2017)

Isuzu 8981475250, AL Filter
ALG-7578, Sakura EF15010,
Wix WF10185

H: 113,7 mm
OD: 66,9 mm
ID: 25,6 mm

Fuel Filter,
cartridge

www.commercialfiltersuk.com

Replaced and obsoleted parts

Part number	Replacement PN	Part number	Replacement PN
-------------	----------------	-------------	----------------

CC2891	CC2525	AS2381	None
---------------	--------	---------------	------

AF1919	None	FF5408	None
---------------	------	---------------	------

AF25900	None	HF30034	None
----------------	------	----------------	------

AF26469	None	HF30251	None
----------------	------	----------------	------

AF371	None	HF7464	None
--------------	------	---------------	------

AF4047	None	HF7730	None
---------------	------	---------------	------

AF4611K	None	HF7732	None
----------------	------	---------------	------

AF4834	None	HF7790	None
---------------	------	---------------	------

AF4862	None	HF7791	None
---------------	------	---------------	------

AF887KM	None	HF7792	None
----------------	------	---------------	------

AH19073	None	HF7793	None
----------------	------	---------------	------

AS2214	None		
---------------	------	--	--

AS2226	None		
---------------	------	--	--

AS2269	None		
---------------	------	--	--

AS2292	None		
---------------	------	--	--

AS2295	None		
---------------	------	--	--

AS2298	None		
---------------	------	--	--

AS2329	None		
---------------	------	--	--

AS2334	None		
---------------	------	--	--

AS2338	None		
---------------	------	--	--

AS2349	None		
---------------	------	--	--

AS2357	None		
---------------	------	--	--

AS2358	None		
---------------	------	--	--

AS2372	None		
---------------	------	--	--

www.commercialfiltersuk.com

New Product Bulletin

Europe, Middle East Parts

February 2018

Part Number	Application	Cross-ref.	Dimensions	Description
AD27747	Please visit https://catalog.cumminsfiltration.com for detailed information	DAF 1506635/1782420/1527757/ 1872122 ASAS SP1450, Baldwin BA5379 Bell 226000, Bosch 986628254 Haldex 31005609 Hengst T280W Jura Filtration TB1390 Heuliez 503446090 Mann-Hummel TB1394/1X Scania 1932719 Mercedes Benz (A)0004295695/ (A)0004295795/(A)8840483382, Volvo 20557234/1699132/20972 915/21508133/3090268/3090288 Iveco 500055322/503137484/5031 37742/5801382289 Kinglong 35G42-11501 MAHLE AL24 Knorr Bremse K009460/K039454/ K039454X00/K042676 MAN 81.52155-0042/81.52155- 0041/81.52155-0040/81.52108- 6025 Renault Trucks 7421267820/5001 865037/7485142410 Wabco 4324109362/4324219212/ 4329012222/4329012232/4329012 242/4329012252/4329012412	H : 165 mm OD : 140 mm Gasket OD : 110 mm Thread : M39x1.5-6H Media Type Synthetic (Microglass)	Air Dryer

www.commercialfiltersuk.com

Part Number

Application

Cross-ref.

Dimensions

Description

AF56006

Claas Tractors Arion & Axion, Axos & Celtis-Series

Claas 11310390
Jura Filtration SC40065CAGH : 48,5 mm
L : 382 mm
W : 199 mmCabin Air Filter,
activated carbon

FF5860

Evobus Sprinter Mobility/City/Transfer/Travel
Mercedes Benz Sprinter II, Viano (639), Vito II (639) &
Vito III (447); VDL MidCity & MidEuro (>2013) equipped
with Mercedes Benz engines OM651LA & OM642LAMercedes Benz
(A)6510900852 &
(A)6510903152
Mann-Filter WK820/16
Baldwin BF46037
Gud MP49
Mecafilter ELG5433
Hengst H411WK
Coopersfiaam FP6122
Filtron PP840/1
Mahle KL914
Bosch F026402838
Purflux FCS829
Tecnocar RN612
Wix WF8497H : 100 mm
OD : 87 mm
Outlet connection 1 : 10 mm
Outlet connection 2 : 8 mm

Fuel Filter In-Line

FS1090

New Holland Tractors T7030, T7040, T7050 & T7060
Auto Command ModelsNew Holland 87712547
ASAS SP1009M
Jura Filtration SN40564H : 170,5 mm
OD : 96 mm
Gasket ID : 81 mm
Gasket OD : 90 mm
Thread : 1-12 UN-1BWater Separator
Spin On Filter

HF29080

Fendt Tractors Vario SCR 819/822/824/826/828
equipped with Deutz engineFendt F83500600030
Jura Filtration SH52302H : 303 mm
OD : 70 mm
Gasket ID (if present) : 25 mm

Hydraulic Filter Cartridge

Parts from other regions

Part Number	Application	Cross-ref.	Dimensions	Description
AF4196	Caterpillar Loader 6040 & 6040FS	Caterpillar 4058797 Donaldson P901841 Jura Filtration SA16998 Sakura A42420	L : 344,5 mm OD : 134 mm ID : 82 mm Media type : Cellulose	Air Cylindrical Primary Filter
AF4227	Toyota 4Runner ; Toyota SUV FJ Cruiser; Toyota Tacoma; Tundra	Toyota 17801-31090 Baldwin PA4165 Fram CA9683 Jura Filtration SA18453 Luberliner AF3959 Sakura A3304 Wix 46888	H : 62 mm L : 353 mm W : 166 mm	Panel Air Filter
AF4229	Ditch Witch JD4020 equipped with 6.8L, Tigercat Feller Bunchers 234B & 720G	Case N101955 Baldwin RS5442 Donaldson P60176 Jura Filtration SA16458 Luberliner LAF4140 Mann-Filter C24985 Wix 49767	L : 13,5 mm OD: 9,2 mm ID: 4,6 mm	Air Cylindrical Primary Filter Primary Air Filter for AF4230
AF4230	Ditch Witch JD4020 equipped with 6.8L, Tigercat Feller Bunchers 234B & 720G	Case N101956 Baldwin RS5443 Donaldson P601774 Jura Filtration SA16459, Mann-Filter CF12004 Wix 49766	L : 324,6 mm OD : 112,8 mm ID : 81 mm	Filter, Air Cylindrical Secondary Secondary Air Filter for AF4229

Parts from other regions

Part Number	Application	Cross-ref.	Dimensions	Description
AF4260	Bobcat 5600, 5610 Utility vehicles	Bobcat 6983022 Baldwin RS30234 Donaldson P602427 Jura Filtration SA16586 Mann-Filter CF8002 Wix 49427	L : 322,1 mm OD1 : 85,8 mm OD2 : 51,9 mm ID : 51,9 mm Media type : Synthetic (Microglass)	Filter, Air Conical Secondary Secondary Air Filter for AF4262
AF4262	Bobcat 5600, 5610 Utility vehicles	Bobcat 6983021 Donaldson P609218 Jura Filtration SA16593 Mann-Filter C12006 Wix 49218	L : 327,1 mm OD1 : 122,2 mm OD2 : 102 mm ID : 71 mm Media type / Synthetic (Microglass)	Filter, Air Conical Primary Primary Air Filter for AF4260

www.commercialfiltersuk.com

Replaced and obsoleted parts

Part number

Replacement PN

Part number

Replacement PN

AF1727

None

AF26182

None

95350A

None

www.commercialfiltersuk.com

New Product Bulletin

Europe, Middle East Parts

March 2018

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref</u>	<u>Dimensions</u>	<u>Description</u>
AF27940	Scania Trucks G,P&R Series	SCANIA 1869993 Donaldson P953211, Hengst E1013L Jura Filtration SA16697, Mann-Filter C31014 Baldwin RS30142KIT	L : 456,2 mm OD : 303,7 mm ID : 168,6 mm Media Type Cellulose	Primary Air Filter, Cylindrical/Primary Air Filter fitted with the AF27995
AF4245	Scania Trucks G,P&R Series	SCANIA 1869995 Mann-Filter C31016 Donaldson P953213	L : 456,2 mm OD : 303,7 mm ID : 168,6 mm Media Type Cellulose	Primary Air Filter, Cylindrical/Flame Retardant Media/ Primary Air Filter fitted with the AF27995
AF27995	Scania Trucks G,P&R Series	SCANIA 1869991 Mann-Filter CF17007 Hengst E1013LS Donaldson P953215	L : 397 mm / OD : 163,5 mm ID : 132,5 mm	Secondary Air filter fitted with the AF27940 & AF4245

www.commercialfiltersuk.com

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>
AF4247	DAF Trucks new XF (XF106) equipped with DAF MX11 & MX13 engines (Euro6) and DAF Trucks XF105 (2006>) equipped with DAF MX engines (Euro4/5/EEV)	DAF 1931681/1931685/1854407 Jura Filtration SA16825 Mann-Filter C26024 Donaldson P951919 Hengst E1084L Jura Filtration SA16825 Sakura A68520	L : 512,1 mm OD : 281,6 mm ID : 147,9 mm Media Type Cellulose	Primary Air Filter, Cylindrical
AF4248	Iveco Trucks Eurocargo III equipped with Iveco Tector 6 F4A/Tector 4 F4A engines	Iveco 42558097/42554489 Donaldson P788896 DT 717019 Febi 49340, Jura Filtration SA17435	H : 282,6 mm W : 136,5 mm L : 263,4 mm	Air Filter
FF5143	Evobus Sprinter Mobility/City/Transfer/Travel equipped with Mercedes Benz OM651LA engine (Euro5/EEV) (2010>); Mercedes Benz Sprinter II (906) 210CDI/213CDI/216CDI /219CDI V6/310CDI/313CDI/316CDI/319CDI V6/410CDI/413CDI/416CDI/419CDI V6/510CDI/513CDI/516CDI/519CDI V6 equipped with OM651LA/OM646LA & OM642LA engines	Mercedes Benz (A)6420920401/ (A)6420902352/(A)6420902252 Mann-Filter WK9014Z Purflux FCS816 Wix WF8430 Mahle KL490/1D, Jura Filtration SN70336 Hengst H330WK, AL Filter ALG2119, UFI 24.112.00 Filtron PP841/9 Bosch F026402104, ALCO SP1365 Fram P11419	H : 118 mm OD : 87 mm	In-Line Fuel Filter

Parts from other regions

<u>Part Number</u>	<u>Application</u>	<u>Cross-ref.</u>	<u>Dimensions</u>	<u>Description</u>
AF4214	John Deere Loaders & Tractors	John Deere RE282286 Bobcat 7003089 Donaldson P609221 Jura Filtration SA16761	L : 331 mm Smallest OD : 130 mm ID : 82 mm	Primary Air Filter, Conical/ Primary Air Filter fitted the safety air filter AF4226
AF4226	John Deere Loaders & Tractors	John Deere RE282287 Bobcat 7003490 Donaldson P608599 Jura Filtration SA16562	L : 324,8 mm Largest OD : 98,2 mm Smallest OD : 62 mm Outside Seal Diameter : 91,6 mm	Secondary Air Filter, Conical/Secondary Air fitted with the primary air filter AF4214
AF56003	Caterpillar excavators 300-Serie	Caterpillar 327-6618 Baldwin PA5720 Wix WP10204, Jura Filtration SC90224	H : 49 mm L : 277,5 mm W : 189 mm Media type : Cellulose	Cabin Air Filter

www.commercialfiltersuk.com

Replaced and obsolete parts

Part number	Replacement PN	Part number	Replacement PN
AF4785	None		
FS19590	None		
HF6209	None		

www.commercialfiltersuk.com